



Office of the Administrative Director — Financial Services Division

THE JUDICIARY • STATE OF HAWAII • 1111 ALAKEA STREET, 6TH FLOOR • HONOLULU, HAWAII 96813-2807
TELEPHONE (808) 538-5800 • FAX (808) 538-5802

Thomas R. Keller
ADMINISTRATIVE DIRECTOR

Nathaniel H.C. Kim
SUPPORT SERVICES DIVISION CHIEF

Walter M. Ozawa
DEPUTY ADMINISTRATIVE DIRECTOR

May 11, 2007

MEMORANDUM


TO WHOM IT MAY CONCERN

FROM: Janell Kim, Financial Services Administrator

SUBJECT: ADDENDUM NO. 2
JUD INVITATION FOR BIDS NO. J07180
TO PROVIDE INSTALLATION AND RECURRING COST OF INTEGRATED
SERVICES DIGITAL NETWORK PRIMARY RATE INTERFACE (ISDN PRI) TO
THE JUDICIARY, STATE OF HAWAII

Transmitted for your review herewith and from our web site at <http://www4.hawaii.gov/jud> under "General Information / Business with the Judiciary", is one copy of Addendum No. 2 for IFB J07180 for your review. For your information, the **Bid Opening date has been changed to 2:00 p.m., HST, May 23, 2007.**

Should you have any questions regarding technical aspects of this Addendum, please call Richard Murakami of the Judiciary Information Technology and Communications Division at (808) 538-5314, Fax 538-5377, email richard.h.murakami@courts.state.hi.us ; other questions may be directed to Jonathan Wong in the Contracts & Purchasing Office, at (808) 538-5805, FAX (808) 538-5802, email jonathan.h.wong@courts.state.hi.us.


Janell Kim

JK/JW:jw

Transmittal

RFP NO. J07180

ADDENDUM NO. 2

**THE JUDICIARY, STATE OF HAWAII
JUD IFB NO. J07180**

**TO PROVIDE INSTALLATION AND RECURRING COST OF INTEGRATED SERVICES
DIGITAL NETWORK PRIMARY RATE INTERFACE (ISDN PRI) TO THE JUDICIARY,
STATE OF HAWAII**

ADDENDUM NO. 2

MAY 11, 2007

The items listed hereafter are made a part of JUD IFB NO J07180 for the above project and shall govern the work taking precedence over previously issued Specifications governing the items mentioned.

A. Modifications of SECTION ONE - INTRODUCTION AND BACKGROUND

Section "1.2, Significant Dates" shall be changed so that the "OFFERS DUE" date will be "2:00 p.m. HST, May 23, 2007."

B. The following Questions were submitted by interested Contractors and appropriate Responses are provided in accordance with this IFB.

Q1. Are the applicable charges for Direct Inward Dialing (DID) numbers supported by the ISDN PRI services to be excluded from the IFB?

R.1. No. All applicable charges shall be provided.

Q2. Excluding the existing phone numbers provided in IFB NO. J07180 Addendum NO. 1, what is the future forecast of DID numbers for each site?

R2. All existing and reserve number DID blocks are listed in IFB NO. J07180 Addendum NO. 1. For sites with no DID blocks listed, please add all the individual telephone numbers for future forecast of DID numbers.

Q3. Will the ISDN PRI services under this IFB support other ISDN related services other than voice?

R3. Primarily the ISDN PRI services shall be used for voice. The only exceptions, to our knowledge, are sites number 6 and 22 where ISDN BRI services are not available. Therefore, an ISDN PRI may be requested to be utilized for our Polycom Video Conference Units.

Q4. With regard to this IFB, will the Judiciary allow pricing omission of certain locations?

R4. No pricing omissions shall be allowed of certain locations. All applicable pricing shall be provided for all listed sites.

Q5. Section 3.7.3. Please describe or provide an example of “cabling problems.”

R5. Section 3.7.3 the sentence shall be corrected to read “Local representative must have an office location in the state of Hawaii, from where he/she conducts his/her business during normal working hours and from where he/she will be accessible for requests or **service related** problems.”

Q6. Section 3.15 - Can that be clarified? New personnel may be brought on board to replace personnel that we may lose through normal attrition. Typically replacements are at least equal or better in capability.

R6. When your local representative or project manager assigned to the Judiciary leaves your employment, please provide the OIC with resumes of the proposed replacements.

END OF ADDENDUM NO. 2